

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) An isolated nucleic acid having at least 80% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

2. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 85% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

Appl. No. : 10/063,718
Filed : May 8, 2002

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(e) the nucleic acid sequence of ~~shown in Figure 93~~ (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

3. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 90% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(e) the nucleic acid sequence of ~~shown in Figure 93~~ (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid

Appl. No. : 10/063,718
Filed : May 8, 2002

encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

4. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 95% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(e) the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

5. (Currently Amended) The isolated nucleic acid of Claim 1 having at least 99% nucleic acid sequence identity to:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

Appl. No. : 10/063,718
Filed : May 8, 2002

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(e) the nucleic acid sequence of ~~shown in Figure 93~~ (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said isolated nucleic acid is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue, or wherein said isolated nucleic acid encodes a polypeptide that is more highly expressed in normal lung and melanoma tumor compared to lung tumor and normal skin tissue.

6. (Currently Amended) An isolated nucleic acid comprising:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(e) the nucleic acid sequence of ~~shown in Figure 93~~ (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229.

Appl. No. : 10/063,718
Filed : May 8, 2002

7. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94).

8. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide.

9. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257.

10. (Currently Amended) The isolated nucleic acid of Claim 6 comprising a nucleic acid sequence encoding the extracellular domain of the polypeptide shown polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257.

11. (Currently Amended) The isolated nucleic acid of Claim 6 comprising the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93).

12. (Currently Amended). The isolated nucleic acid of Claim 6 comprising the full-length coding sequence of the nucleic acid sequence of shown in Figure 93 (SEQ ID NO:93).

13. (Original) The isolated nucleic acid of Claim 6 comprising the full-length coding sequence of the cDNA deposited under ATCC accession number 203229.

14. (Currently Amended) An isolated nucleic acid that hybridizes under stringent conditions to:

(a) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94);

(b) a nucleic acid sequence encoding the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide;

(c) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

(d) a nucleic acid sequence encoding the extracellular domain of the polypeptide of shown in Figure 94 (SEQ ID NO:94), lacking its associated signal peptide, wherein the extracellular domain is amino acids 20-31, 139-151, or 236-257;

Appl. No. : **10/063,718**
Filed : **May 8, 2002**

(e) the nucleic acid sequence of ~~shown in Figure 93~~ (SEQ ID NO:93);

(f) the full-length coding sequence of the nucleic acid sequence of ~~shown in Figure 93~~ (SEQ ID NO:93); or

(g) the full-length coding sequence of the cDNA deposited under ATCC accession number 203229;

wherein said stringent conditions comprise 50% formamide, 5 x SSC (0.75 M NaCl, 0.075 M sodium citrate), 50 mM sodium phosphate (pH 6.8), 0.1% sodium pyrophosphate, 5 x Denhardt's solution, sonicated salmon sperm DNA (50 µg/ml), 0.1% SDS, and 10% dextran sulfate at 42°C, with washes at 42°C in 0.2 x SSC (sodium chloride/sodium citrate) and 50% formamide at 55°C, followed by a high-stringency wash consisting of 0.1 x SSC containing EDTA at 55°C.

15. (Canceled).
16. (Original) The isolated nucleic acid of Claim 14 which is at least 10 nucleotides in length.
17. (Original) A vector comprising the nucleic acid of Claim 1.
18. (Original) The vector of Claim 17, wherein said nucleic acid is operably linked to control sequences recognized by a host cell transformed with the vector.
19. (Original) A host cell comprising the vector of Claim 17.
20. (Original) The host cell of Claim 19, wherein said cell is a CHO cell, an E. coli or a yeast cell.